

sage

# Sage XRT Treasury

Version 4.0.800

Personal Data



# Contents

<b>Purpose .....</b>	<b>4</b>
<b>Basic European Requirements for Personal Data Protection .....</b>	<b>5</b>
<b>Data Security.....</b>	<b>6</b>
Database Access Security .....	6
Access Rights Management.....	6
Selection of Authentication Strategy .....	6
Definition of Security Policy through SXCS.....	7
Management of Profiles, Roles and Users .....	7
Audit Functions for Access and Identities .....	8
Security Reporting .....	8
Compliance with Sarbanes Oxley Act.....	10
<b>Personal Data and Associated Processing in Sage XRT Treasury .....</b>	<b>12</b>
Personal Data List.....	12
User Management.....	14
Security Options by Entity .....	14
Security Options Setup .....	14
Security Options Reports.....	15

Third Parties: Clients, Providers and Employees .....	16
Purpose of Third Party Data Processing .....	16
Payment Management .....	17
Receipt Management .....	17
Third Party Management .....	18
Amendment Management .....	19
Third Party Reporting .....	19
Third Party Reporting: Advanced Filter as of 4.00.800 .....	20
Bank Branch Contacts.....	21
Purpose of Contact Data Processing .....	21
Contact Management.....	22
Reporting.....	22
Life Cycle of Personal Data .....	23
Third Parties .....	23
Branches .....	23
Rights of Rectification and Erasure - Retention Period .....	24
<b>Disclaimer .....</b>	<b>25</b>

## Purpose

# Purpose

The general data protection regulation (GDPR) applies in all EU Member States from 25 May 2018.

This document aims at ID the existing functions from **Sage XRT Treasury** that could help your company to comply with this European regulation.

# Basic European Requirements for Personal Data Protection

Basic Requirements	Sage XRT Treasury	Sage XRT Advanced	Sage XRT Common Services	Sage XRT Business Exchange
<b>Ensuring appropriate security</b>				
The company must install appropriate technical and organizational safeguards that ensure the security of the personal data such as the securing of work stations and storage spaces, as well as confidentiality policies and clauses.				
Stronger Passwords and Protection of certain stored or exchanged data <u>See the existing functions for security</u>	✓	✓	✓	✓
<b>Managing individuals rights (data portability, right of erasure, right of objection to the processing//consent, right of rectification, etc.)</b>				
It must provide functions to correct and import/export personal data, as well as functions to select the individuals subject to processing of their data.				
Modification/Deletion functions available in every product, according to the user rights. <u>See the existing functions for personal data</u>	✓	✓	✓	✓
<b>Helping demonstrate compliance</b>				
The company must keep records of all the documents that demonstrate the actions set up to comply with the general data protection regulation - they could be presented in case of inspection, such as: documents describing the technical and organizational safeguards that it has installed to ensure the security of personal data use, the processing registry.				
Sage makes available records of all personal data and associated processing activities for each of the following products: Sage XRT Treasury, Sage XRT Advanced and Sage XRT Business Exchange. <u>See the list of personal data and associated processing activities</u>	✓	✓	✓	✓

## Data Security

### Database Access Security

Sage XRT Common Services Administration Console enables you to define the management of user access rights for **Sage XRT** applications.

#### Access Rights Management

Two modes to grant access rights are available:

- Select **Access permissions are granted by a security administrator** if you want a simple access permissions management in which only one Security Administrator intervenes.
- Select **Access permissions are granted by a level 1 security administrator and validated by a level 2 security administrator**, if you want every action taken by Security Administrator to be validated by a second one.

#### Selection of Authentication Strategy

According to the authentication type used by the DBA to connect to the database server, you can select:

- **Use Windows NT integrated security:** the DBA is authenticated by its NT account (recommended authentication level).
- **Use a specific username and password:** the DBA is authenticated by a username and a password.

## Definition of Security Policy through SXCS

### Rights Management

- Role Management
- Site Management
- User Management
- Setup
- System Audit
- Users Audit
- Database Audit
- Your Account

## Management of Profiles, Roles and Users

Roles Sites

ADMINISTRATEUR  
 TRESO

Authentication

Password   
Confirm Password

User Type

Level 1 Security Administrator  
 Standard User

Miscellaneous

Language \*

Description

email

validity period  ( until  )

locked until   permanently



Data Security

Audit Functions for Access and Identities

On top of providing the obvious functions, the identity and access management must prove its efficiency.

The evidence must be remitted to auditors upon request and in written to be archived.

The proof must cover the frequently audited areas, i.e.:

- **Administrator Actions**
  - Create User
  - Delete User
  - Change User Password
  - Change management strategy of passwords
  - Change access configuration to LDAP directory
  - Access granted
  - Access denied
- **Final User Actions**
  - Login
  - Logoff
  - Specific messages from the application
- **Tests for compliance with security policy**
  - User account locked after *n* failed tries to log on

The **Users Audit** table describes all actions executed by the users.

**Rights Management**  
 Number of Roles:2      Number of Users:16

Roles | Sites | Users | Setup | System Audit | **Users Audit** | Database Audit | Your Account

Drag a column header here to group by that column

User	Date	Time	Category	Status	Product	Component	User's Account	Computer
ADMIN	06/06/2018	09:38:05	Logon	Success	XCS	Console d'Administration	SAGEFR\JECHA	QA-W2K12R2-SXT
SAGEFR\CDE	05/06/2018	14:33:47	Logon	Success	U2	Sage XRT Treasury V4.00.6...	SAGEFR\CDELAGE	QA-W10-SXT
SAGEFR\CDE	05/06/2018	14:24:42	Logon	Success	U2	Sage XRT Treasury V4.00.6...	SAGEFR\CDELAGE	QA-W10-SXT
SAGEFR\CDE	05/06/2018	11:46:56	Logon	Success	U2	Sage XRT Treasury V4.00.6...	SAGEFR\CDELAGE	QA-W10-SXT
SAGEFR\CDE	04/06/2018	15:16:53	Logon	Success	U2	Sage XRT Treasury V4.00.6...	SAGEFR\CDELAGE	QA-W10-SXT
ADMIN	04/06/2018	10:58:52	Logon	Success	U2	Sage XRT Treasury V4.00.6...	SAGEFR\JECHA	QA-W2K12R2-SXT



## Data Security

The **System Audit** table describes all actions executed at time *t*.

Rights Management							
Number of Roles:2				Number of Users:16			
Roles	Sites	Users	Setup	System Audit	Users Audit	Database Audit	Your Account
Drag a column header here to group by that column							
Date	Time	Status	User	User's Account	Computer	Description	
			ADMIN				
20/01/2017	10:30:25	Success	ADMIN	SAGEFR\JECHA	QA-W2K12R2-SXT	Add user 'RFA' to profile 'PARIS -> isSite'	
20/01/2017	10:30:25	Success	ADMIN	SAGEFR\JECHA	QA-W2K12R2-SXT	Add user 'RFA' to profile 'TRESO -> isRole'	
20/01/2017	10:30:25	Success	ADMIN	SAGEFR\JECHA	QA-W2K12R2-SXT	Add user 'RFA' to profile 'ADMINISTRATEUR -> isRole'	

## Security Reporting

**Sage XRT Common Services** Administration Console enables you to edit reports listing the authorized/denied functions for each profile and each product from the platform.

07/12/2017	<b>Security report</b>	Page N°3
------------	------------------------	----------

Annex 1 : List of rights by profile
-------------------------------------

There are two softwares : FRP Treasury Universe and Network Management Console. A **green** label for them indicates a full access for all users of the profiles.  
 FRP Treasury Communication and FRP Treasury Signature are subfunctions of FRP Treasury Universe.  
 The rights can be set by subfunctions; the report indicates all opened subfunctions in **green**. If a subfunction of an opened one is forbidden, it will appear in **red**.

<b>List of declared functions for profile</b> ADMINISTRATEUR SERVEUR
Network Management Console SAGE XRT Business Exchange Sage FRP Treasury
<b>List of declared functions for profile</b> ADMINISTRATEURS
Network Management Console SAGE XRT Business Exchange
<b>List of declared functions for profile</b> INTEGRATION AUTO
Network Management Console SAGE XRT Business Exchange Sage FRP Treasury Sage FRP Treasury / Administration / Security / Security Supervisor
<b>List of declared functions for profile</b> SIGNATURE WEB
Network Management Console SAGE XRT Business Exchange

## Data Security

### Compliance with Sarbanes Oxley Act

The *Sarbanes Oxley Act* imposes the security rules definition to get access to operating systems and applications.

Here is the list of the Security Issues for access and use of **Sage XRT** applications and for a standard user.

**Sage XRT** password policy complies with the requirement of the *Sarbanes Oxley Act*.

Security Issues	Sage XRT Advanced	Sage XRT Treasury	Sage XRT Communication	Sage XRT Business Exchange (Rich Client)	Sage XRT Business Exchange (Web Module)
The application manages profiles.	✓	✓	✓	✓	✓
Passwords are mandatory.	✓	✓	✓	✓	✓
A standard password is given to everyone or to a group upon account creation.	✓	✓	✓	✓	✓
The password must be changed upon first connection.	✓ Customizable	✓ Customizable	✓ Customizable	✓ Customizable	✓ Customizable
Passwords must contain at least 6 characters, among which 1 uppercase letter and 1 digit.	✓ Customizable	✓ Customizable	✓ Customizable	✓ Customizable	✓ Customizable
Passwords must be changed every 42 Days.	✓ Customizable	✓ Customizable	✓ Customizable	✓ Customizable	✓ Customizable
The application keeps the passwords history. The four last passwords cannot be used.	✓ Customizable	✓ Customizable	✓ Customizable	✓ Customizable	✓ Customizable
Passwords are not kept to avoid new entry in later connections.	✓ For a complete NT security, the passwords used are the Windows passwords which are hidden to enable off line connections. ✗ For XRT standard security, the application password is not stored.				✗
The password is locked after 3 unsuccessful entries. It is automatically reactivated after 10 minutes.	✓ Customizable	✓ Customizable	✓ Customizable	✓ Customizable	✓ Customizable
The account is not locked if not used for several days.	✓	✓	✓	✓	✓

# Data Security

Security Issues	Sage XRT Advanced	Sage XRT Treasury	Sage XRT Communication	Sage XRT Business Exchange (Rich Client)	Sage XRT Business Exchange (Web Module)
The session is locked after 10-minute inactivity.	✗	✗	✗	✗	✓ Customizable
Security rules cannot be modified from user work station.	✓	✓	✓	✓	✓
Every access to application must be logged.	✓	✓	✓	✓	✓
For short-term contract users, the specification of an end date of validity is mandatory corresponding to the end date of contract.	✓ Customizable	✓ Customizable	✓ Customizable	✓ Customizable	✓ Customizable

# Personal Data and Associated Processing in Sage XRT Treasury

## Personal Data List

Personal Data	Category	Purpose
User	Client Data	User ID
User Name	Client Data	User ID
User First name	Client Data	User ID
User Function	Client Data	User ID
User Phone Number	Client Data	User ID
User E-mail	Client Data	User ID
Branch Contact Name	Client Data	Bank Contact
Branch Contact Phone	Client Data	Bank Contact
Branch Contact FAX	Client Data	Bank Contact
Branch Contact E-mail	Client Data	Bank Contact
Branch Contact Capacity	Client Data	Bank Contact
Branch Contact Service	Client Data	Bank Contact
Beneficiary Third Party Name	Marital Status	Salaries, Providers Payments
Beneficiary Third Party First Name	Marital Status	Salaries, Providers Payments
Beneficiary Third Party Address	Marital Status	Salaries, Providers Payments
Beneficiary Third Party Country Code	Client Data	Salaries, Providers Payments
Beneficiary Third Party Phone	Client Data	Salaries, Providers Payments
Beneficiary Third Party E-mail	Client Data	Salaries, Providers Payments
Beneficiary Third Party FAX	Client Data	Salaries, Providers Payments


**Personal Data and Associated Processing in Sage XRT Treasury**

Personal Data	Category	Purpose
Beneficiary Third Party Bank	Bank Data	Salaries, Providers Payments
Beneficiary Third Party BIC	Bank Data	Salaries, Providers Payments
Beneficiary Third Party IBAN - Account ID	Bank Data	Salaries, Providers Payments
IBAN - Disbursement Account of Beneficiary Third Party	Bank Data	Salaries, Providers Payments
Debtor Name	Marital Status	Client Drawings
Debtor First Name	Marital Status	Client Drawings
Debtor IBAN	Bank Data	Client Drawings



## Personal Data and Associated Processing in Sage XRT Treasury

In the example below, an employee from Madrid site is authorized to perform transactions for **Clients, Providers, Employees** third parties.

 **Security Settings Wizard**

Change Authorize All Restrict All Duplicate assignments

**Security Settings Wizard** Step2 - Secure Third Party Categories 1 2

Authorize Third Party Categories

Sites \ Users:

- LONDRES
- MADRID
- SPAIN
- PARIS
- SECUR

Access to:

Code	Description
CUSTOMERS	CUSTOMERS
EMPLOYEES	SALARY
SUPPLIERS	SUPPLIERS

You have now defined security permissions for the users and sites.

Validate

## Security Options Reports

### Security By ( Third-party Category By permission )

06/06/2018 10:28:41

securite par

<b>Site: LONDRES</b>			
<b>Site description: LONDRES</b>			
----- Assignments for site -----			
User:	A (LONDRES)	Assignm ent type	<b>None</b>
User description:	user a eng	Assignm ent type	<b>Derived from site</b>
User:	ADMIN (LONDRES)	Assignm ent type	<b>Derived from site</b>
User description:	user admin EN	Assignm ent type	Supervisor Yes belongs to 1 site(s)
<b>Site: MADRID</b>			
<b>Site description: MADRID</b>			
----- Assignments for site -----			
User:	SPAIN (MADRID)	Assignm ent type	<b>None</b>
User description:	USER SPAIN	Assignm ent type	<b>Partial special</b>
Code assigned to:	SPAIN	CUSTOMERS	CUSTOMERS
Code assigned to:	SPAIN	EMPLOYEES	SALARY
Code assigned to:	SPAIN	SUPPLIERS	SUPPLIERS
		Supervisor	Yes belongs to 1 site(s)



## Third Parties: Clients, Providers and Employees

The third party list is either manually completed or automatically populated based on an import file. It is only available for information purposes. It can be modified and deleted.

Only the users with the appropriate rights, depending on the security options and authorized to manage third parties can add personal data.

The screenshots below show personal data.

This screenshot shows the 'Address' tab within the 'Users Fields' section. It contains several input fields for personal data: Street, City, Zip Code, Province Code, and Country. Below these is a 'Contact' section with fields for Name, Department, Phone, Fax, and Email. At the bottom, there is a 'Web Address' field and a button labeled 'Additional Addresses'.

This screenshot shows the 'Bank Details' tab within the 'Identification' section. It includes fields for Bank Identification (Description, BIC, Other Identifier Type), checkboxes for 'Third party is not owner of the account' and 'Default Account Location', and sections for 'Account ID' (Currency, Domiciliation, BAF), 'Local Account', 'IBAN' (ISO, IK, Account), 'BBAN' (ISO, Account), and 'Free Account'. Each account type has a 'Default FT' radio button.

## Purpose of Third Party Data Processing

The processing activities using Third Parties enable payments and receipts depending on the transfer type used and the third party category.

## Personal Data and Associated Processing in Sage XRT Treasury

### Payment Management

The various payment types managed in **Sage XRT Treasury** are based on the third party fields used for remittance generation.

For example, in Domestic Transfers, third party details are included into the transactions if this third party is involved in them.

The screenshot shows the 'Transaction' screen for 'DOMESTIC TRANSFERS'. The 'Parties' tab is active, showing details for the Issuer and Payee. The Issuer section includes fields for Applicant, Payer, Debit Account, and IBAN (Format: IBAN, ISO: FR, IK: 76, Bank: 30004, Branch: 11111, Account: XXXXXXXXXXXXE, LK: 42). The Issuing Branch is BBNP. The Payee section includes fields for Payee Category, Payee, and Credit Account, with IBAN details (Format: IBAN, ISO: FR, IK: 76, Bank: 30004, Branch: 22222, Account: YYYYYYYYYE, LK: 45).

### Receipt Management

The various collection types managed in **Sage XRT Treasury** are based on the third party fields used for remittance generation.


For example, in Domestic Direct Debits, third party details are included into the transactions if this third party is involved in them.

The screenshot shows the 'Transactions' screen for 'DOMESTIC DIRECT DEBIT'. The 'Participants' tab is active, showing details for the Issuer and Receiver. The Issuer section includes fields for Applicant, Payee, and Account to Credit, with IBAN details (Format: IBAN, ISO: FR, IK: 76, Bank: 30004, Branch: 11111, Account: XXXXXXXXXXXXE, LK: 42). The Receiver section includes fields for Payor and Account to Debit, with bank details (Bank: 30004, Branch: 22222, Account: YYYYYYYYYE, LK: 83).

### Third Party Management

#### View and Modification of Third Party Personal Data

The standard third party filter is used to manage Third Parties. Users can search and view third parties by their category, code, key words.



The image shows a screenshot of a data table with the following columns: Cod, Description, Acceptance Type, Bank, BAF, DFT, Acct ID, IBAN Key, and Acct ID (Electronic Form). The first row is highlighted in green and contains the following data: TIERS, tiers, Not Accepted, COMPTE BANCAIRE TIERS, DEF-FR, LOCAL, 11111 22222 9999999999E 56, 11111222229999999999E56.

Cod	Description	Acceptance Type	Bank	BAF	DFT	Acct ID	IBAN Key	Acct ID (Electronic Form)
TIERS	tiers	Not Accepted	COMPTE BANCAIRE TIERS	DEF-FR	LOCAL	11111 22222 9999999999E 56	11111222229999999999E56	

Third parties can modify their personal data via an authorized user. This modification should be notified to the corresponding third party through the advanced filter available as of version 4.00.800 of **Sage XRT Treasury**.

#### Third Party Deletion

Deleting third parties is possible only if:

- They are not associated with transactions.
- Their type is **One-Time** and the transactions associated with them have been purged.

## Amendment Management

Third Party creation comes before Mandate creation. Mandates are associated with existing Third Parties. The third party data complete the section for the mandate debtor.

Any modification on a third party associated with a mandate has an impact on the fields common to both of them.

## Third Party Reporting

The standard third party filter is used to monitor Third Parties. Users can search and view third parties by their category, code, key words.

Cod	Description	Acceptance Type	Bank	BAF	DFT	Acct ID	IBAN Key	Acct ID (Electronic Form)
TIERS	tiers	Not Accepted	COMPTE BANCAIRE TIERS	DEF-FR	LOCAL	11111 22222 9999999999E 56		11111222229999999999E56

The action **Export to Excel** enables the listing of the personal data associated with a third party.

## Personal Data and Associated Processing in Sage XRT Treasury

Code	Libellé	Type d'acceptation	Banque	FCB	TFD	RIB	Clé IBAN	RIB (Formulaire électronique)
TIERS	tiers	Non accepté	COMPTE BANCAIRE TIERS	DEF-FR	LOCAL	11111 22222 9999999999E 56		11111222229999999999E56

### Third Party Reporting: Advanced Filter as of 4.00.800

The third party advanced filter is available as of version 4.00.800 of **Sage XRT Treasury**.

The results can be displayed in an extended view of the third party personal data.

Third Parties Extended Report 24/04/2018									
<b>Identification</b>									
<i>Third Party Code</i>	TIERS		<i>Description</i>	tiers		<i>Category</i>	1		
<i>Cop ID Code</i>	SIRET123456789		<i>Identifier Type</i>	<empty>		<i>Identifier</i>	<i>Non resident</i>	No	
<b>Address</b>									
<i>Street</i>	TIERS AD 1		<i>Additional</i>	TIERS AD 2		<i>City</i>	TIERS VILLE		
<i>Zip Code</i>	75000		<i>Country</i>	FRANCE					
<b>Contact</b>									
<i>Name</i>	CONTACT TIERS		<i>Department</i>	SERVICE TIERS		<i>Phone</i>	TEL		
<i>Fax</i>	FAX		<i>Email</i>	EMAIL TIERS		<i>Web address</i>			
<b>Account ID Banks</b>									
<i>Description</i>	COMPTE BANCAIRE TIERS		<i>BIC</i>	<empty>		<i>Identifier</i>			
<i>Third party is not owner of the account</i>	Yes		<i>Default account location</i>	Yes					
<b>Account ID</b>									
<i>Currency</i>	EUR		<i>Domiciliation</i>			<i>BAF</i>	DEF-FR		
<b>Local</b>									
<i>Bank</i>	<i>Branch</i>	<i>Account</i>	<i>LK</i>						
11111	22222	9999999999E	56						
<i>Default</i>	No								
<b>IBAN</b>									
<i>ISO</i>	<i>IK</i>	<i>Bank</i>	<i>Branch</i>	<i>Account</i>	<i>LK</i>				
FR	76	11111	22222	9999999999E	56				
<i>Default</i>	Yes								
<b>BBAN</b>									
<i>ISO</i>	<i>Bank</i>	<i>Branch</i>	<i>Account</i>	<i>LK</i>					
FR	11111	22222	9999999999E	56					
<i>Default</i>	No								
<b>Bank Details</b>									
<i>Street</i>	AD1 AG BANCAIRE TIERS		<i>Additional</i>	AD2 AG BANCAIRE TIERS		<i>City</i>	75000 VILLE AG BANC		
<i>Zip Code</i>	IRE TIERE		<i>Country</i>	FRANCE					
<i>Phone</i>									
<b>Holder</b>									
<i>Name</i>	PROPRIETAIRE DU COMPTE		<i>Street</i>			<i>Additional</i>			
<i>City</i>			<i>Zip Code</i>			<i>Country</i>			
<b>Authorization</b>									
<i>Period</i>	0	<i>Maximum Outstanding</i>	0,00	<i>Acceptance</i>	Not Accepted				

## Bank Branch Contacts

Banks and Branches creation comes before Third Party IBAN creation. Branch Contacts details are considered as Third Party personal data.

The branch list is either manually completed or automatically populated based on an import file.

It is only available for information purposes. It can be modified and deleted.

The screenshot below shows the contact personal data.

The screenshot shows a web form with three main sections: Identification, Address, Contact, and Calendar. The Identification section has a dropdown menu for 'Address'. The Address section contains fields for Street (RUE AGENCE TIERS), Complément Adresse (COMPLEMENT ADRESSE AGENCE TIERS), City (VILLE AGENCE), Zip Code (CPOST), Province Code (CPROV), and Country (FR, FRANCE). The Contact section contains fields for Name (INTERLOCUTEUR AGENCE TIERS), Department (SERVICE AGENCE TIERS), Phone (TEL AGENCE TIERS), Fax (FAX AGENCE TIERS), and Email (EMAIL AGENCE TIERS). The Calendar section has a dropdown menu for 'FRSAS' and 'FRANCE SATURDAY/SUNDAY', and checkboxes for each day of the week: Sunday (checked), Monday, Tuesday, Wednesday, Thursday, Friday, and Saturday (checked).

## Purpose of Contact Data Processing

Associated with the payment and receipt remittances, the personal data from the branch contact part can be used to generate confirmation letters.

For example, with a domestic transfer:

04/04/2018

COMPANY 2 EUR  
 78 Boulevard du Général de Gaulle  
 95000 CERGY PONTOISE  
 FRANCE

TIERS VDOM  
 30 allée des Nénuphars  
 75000 PARIS  
 France  
 To Mr Le Tiers

**TRANSFER NOTICE**

Dear Sir/Madam,


We hereby inform you that we have instructed our bank to debit the sum of EUR 10 000,00 (Ten thousand Euros) as on the execution date of 04/04/2018

Transfer will be carried out from PRINCIPAL, domiciled PARIS, FRANCE on account number FR76 3000 3000 01XX XXXX XXXX XXX in payment for: ....

## Personal Data and Associated Processing in Sage XRT Treasury

### Contact Management

Key words ensure the management of contacts. The branch can be selected and viewed in the data list.




Keyword AGTIERS Apply Add Find in All Columns Options

Create Change Delete Refresh Print Export to Excel

Interc.	Code	Description	Bank	Domiciliation	BIC	Corp. ID Code	Contact
No	AGTIERS	AGENCE POUR TIERS	BQETIERS	DOMICILIATION PARIS	55555555	SIRET AGENCE T	INTERLOCUTEUR AGENCE TIERS

The **Modify** and **Delete** actions enable the management of the personal data associated with the branch.



Identification (Address)

Address

Street: RUE AGENCE TIERS  
COMPLEMENT ADRESSE AGENCE TIERS

City: VILLE AGENCE

Zip Code: CPOST Province Code: CPROV

Country: FR FRANCE

Contact


Name: INTERLOCUTEUR AGENCE TIERS  
Department: SERVICE AGENCE TIERS  
Phone: TEL AGENCE TIERS  
Fax: FAX AGENCE TIERS  
Email: EMAIL AGENCE TIERS

Calendar: FRSAS FRANCE SATURDAY/SUNDAY

Sunday  Monday  Tuesday  
 Wednesday  Thursday  Friday  Saturday

### Reporting

Key words ensure the Reporting. The branch can be selected and viewed in the data list.



Keyword AGTIERS Apply Add Find in All Columns Options

Create Change Delete Refresh Print Export to Excel

Interc.	Code	Description	Bank	Domiciliation	BIC	Corp. ID Code	Contact
No	AGTIERS	AGENCE POUR TIERS	BQETIERS	DOMICILIATION PARIS	55555555	SIRET AGENCE T	INTERLOCUTEUR AGENCE TIERS

The action **Export to Excel** enables the listing of the personal data associated with the branch.

Interc.	Code	Description	Bank	Domiciliation	BIC	Corp. ID Code	Contact
No	AGTIERS	AGENCE POUR TIERS	BQETIERS	DOMICILIATION PARIS	55555555	SIRET AGENCE T	INTERLOCUTEUR AGENCE TIERS



## Life Cycle of Personal Data

For Third Parties or Branches, **Sage XRT Treasury** uses personal data.

### Third Parties

Only the users with the appropriate rights, depending on the security options and authorized to manage third parties can add, modify or delete personal data.

On top of these functions, transactions can be archived based on the generated remittances, either during remittance generation or later manually.

Applicant	Branch	Status	Number of Orders	Execution Date	Currency	Remittance	Type	Remittance Total	User	Transaction Date	Time
COMPANY1	BBNP	Archived	1	22/08/2016	EUR	Unit	Standard	12 345,670		22/08/2016	13:56:00
COMPANY1	BBNP	Generated	1	22/08/2016	EUR	Unit	Standard	23 456,780		22/08/2016	16:06:00
COMPANY1	BBNP	Generated	1	22/08/2016	EUR	Unit	Standard	34 567,890		22/08/2016	16:06:00
COMPANY1	BSGE	Generated	1	25/08/2016	EUR	Unit	Standard	9 000,000	user a eng	29/08/2016	16:21:00
COMPANY2	BCLY	Generated	1	25/08/2016	EUR	Unit	Standard	10 000,000	user a eng	29/08/2016	16:21:00

Archiving enables the purge of the transactions associated with a third party.

For this purge, only the One-Time Third-Parties are deleted.

### Branches

The person authorized to process third party personal data can be in charge of their management, addition or modification as well as their erasure.

## **Rights of Rectification and Erasure - Retention Period**

You can modify and delete any personal data from your application to deal with an individual's request.

However, the applications' process must be respected to complete modifications and erasures.

For example, you cannot delete a third party if it is associated with an active mandate or if a payment transaction is in progress.

## Disclaimer

The information on GDPR provided hereby is intended as advice of a general nature for information purposes and is not to be construed as professional nor legal advice. Sage cannot guarantee the provided information exactly reproduces an officially adopted text. In case of dispute, the Official Journal of the European Union prevails.

While we have made every effort to ensure that the information provided is correct and up to date, the information is delivered on an “as is” basis without any warranties, express or implied. Sage will not accept any liability for errors or omissions and will not be liable for any damage (including, without limitation, damage for loss of business or loss of profits) arising in contract, tort or otherwise from the use of or reliance on this information or from any action or decisions taken as a result of using Information.

Our products include functions that could help and accompany users to comply with the GDPR. However, we would like to draw your attention to the fact that the sole use of our products does not guarantee your compliance with the GDPR.

The information provided hereby is not to be construed as professional nor legal advice, if you need more advice on GDPR compliance, you should consult a suitably qualified professional.